

## LREG

Cod.	Ø	P	E	H	Nmax	A	B	C
LREG-M5	M 5	4.2	15	M 10x0.75	3.3	21	37	14
LREG1/8	G 1/8	7	25	M 12x1	5.5	31	48	16
LREG1/4	G 1/4	8	35	M 12x1	5	45	53.5	20
LREG3/8	G 3/8	10	35	M 15x1	7.5	50	59	25
LREG1/2	G 1/2	11	44	M 15x1	7.5	59	67	30

Cod.	G	I	D	M	Ch	L	Conf.
LREG-M5	18	11.6	16	12.5	12	4.2	10
LREG1/8	25	15	22	18.2	16	4.2	10
LREG1/4	33	22	30	24.5	16	6.5	10
LREG3/8	34	22	30	25.5	20	6.5	10
LREG1/2	43.5	24	40	35	20	6.5	10

<b>Corpo</b>	11 S alluminio	<b>Body</b>	11 S aluminium
<b>Parti interne</b>	OT 58	<b>Inner parts</b>	OT 58
<b>Guarnizioni</b>	NBR	<b>Gaskets</b>	NBR
<b>Temperatura di esercizio</b>	-10°C ...+80°C	<b>Working temperature</b>	-10°C ...+80°
<b>Pressione di esercizio</b>	2 bar ...10 bar	<b>Working pressure</b>	2 bar ...10 bar



- F.F. unidirezionale
- FF. one way



- Unidirezionale
- Unidirectional

